



POCKET GUIDE:

Quality Timber PSE's
and Mouldings

Quality Decking

Quality Cladding



2026 ISSUE

stamco-hoppings.co.uk

TECHNICAL INFORMATION

Choose from three solid softwood grades:

Premium Plus is precisely what the name suggests. Profiles are of a 'clearer' visual appearance with fewer, smaller and sound knots.

Premium represents a good quality, sound timber with very acceptable and reasonably sized knot inclusion.

Contract is an acceptable quality timber but selected to be very price competitive. Knotting is liable to be more prevalent and likely not to be as sound (can become loose) as in the other grades. A good inexpensive option.

This guide uses coloured grade option symbols:



Moisture content Solid softwood, which is a natural product containing moisture, is dried artificially after the initial logging process, causing the wood to shrink. A certain amount of residual drying and shrinkage continues until stabilisation is reached. In a centrally heated home, lateral shrinkage of 2.5 – 3% is quite normal for new machined profiles.

Finished sizes Most sizes quoted are nominal, actual finished dimensions are given in the tables below unless specifically stated/listed against an item.

Nominal	Finished	Nominal	Finished	Nominal	Finished
9	6	38	33	138	133
12	8	50	44	150	144
13	8.5	63	57	175	169
16	12	75	69	200	194
19	14.5	88	82	225	217
22	18	100	94	250	243
25	20	115	108	275	266
32	27	125	119	(all sizes in mm)	

† Certain small mouldings are only available in 2.4m lengths



Quality Timber PSE's and Mouldings

Primed MDF* Mouldings

Architrave



**CHAMFERED
& ROUNDED**
14.5 x 44mm
14.5 x 68mm



**PENCIL
ROUNDED**
14.5 x 44mm
14.5 x 68mm



**PENCIL
ROUNDED**
18 x 68mm



**SQUARE
EDGE**
18 x 68mm



**SHADOW
GROOVED**
18 x 68mm



**CHAMFERED
V-GROOVED**
18 x 68mm



STEPPED
18 x 68mm



OGEE
18 x 68mm
18 x 57mm



TORUS
18 x 68mm
18 x 57mm



OVOLO
18 x 68mm



**CHAMFERED
& ROUNDED**
18 x 68mm

Skirting



**CHAMFERED
& ROUNDED /
PENCIL
ROUNDED**
14.5 x 94mm
18 x 94mm



**PENCIL
ROUND /
SHADOW
GROOVED**
18 x 144mm



TORUS / OGEE
18 x 119mm
18 x 144mm
18 x 169mm
18 x 219mm



**CHAMFERED
& ROUNDED /
OVOLO**
18 x 144mm



**CHAMFERED
V GROOVED /
SQUARE EDGE**
18 x 144mm



STEPPED
18 x 144mm

Window Board

NOSED & TONGUED

25 x 168mm
25 x 194mm
25 x 219mm
25 x 244mm
25 x 294mm

NOSED ONLY

25 x 350mm



* All MDF product
dimensions are
finished size.

Solid Pine

Solid Pine Architrave



CHAMFERED & ROUNDED

FINISHED

14.5mm x 44mm
14.5mm x 57mm
14.5mm x 69mm
25mm x 75mm

NOMINAL

19mm x 50mm
19mm x 63mm
19mm x 75mm
20.5mm x 69mm



OVOLO

FINISHED

20.5mm x 57mm
20.5mm x 69mm

NOMINAL

25mm x 63mm
25mm x 75mm



TORUS

FINISHED

20.5mm x 69mm
20.5 x 57mm

NOMINAL

25mm x 75mm
25 x 63mm



OGEE

FINISHED

14.5mm x 44mm
20.5mm x 44mm
20.5mm x 57mm
20.5mm x 69mm

NOMINAL

19mm x 50mm
25mm x 50mm
25mm x 63mm
25mm x 75mm



PENCIL ROUNDED

FINISHED

14.5mm x 44mm
14.5mm x 69mm

NOMINAL

19mm x 50mm
19mm x 75mm

Solid Pine Skirting



CHAMFERED/PENCIL ROUNDED

FINISHED

14.5mm x 69mm
14.5mm x 95mm
14.5mm x 144mm

NOMINAL

19mm x 75mm
19mm x 100mm
19mm x 150mm



TORUS/OGEE

FINISHED

20.5mm x 95mm
20.5mm x 120mm
20.5mm x 144mm
20.5mm x 169mm
20.5mm x 216mm

NOMINAL

25mm x 100mm
25mm x 125mm
25mm x 150mm
25mm x 175mm
25mm x 225mm



CHAMFERED/OVOLO

FINISHED

20.5mm x 144mm
20.5mm x 169mm

NOMINAL

25mm x 150mm
25mm x 175mm

Solid Pine Window Mouldings – Sash Material

SASH STILE

FINISHED 44mm x 44mm
NOMINAL 50mm x 50mm **PP**



SASH BAR

FINISHED 20.5mm x 44mm
NOMINAL 25mm x 50mm **PP**



BOTTOM SASH MEETING RAIL

FINISHED 33mm x 53mm
NOMINAL 38mm x 57mm **PP**



Q-LINE STAFF BEAD

FINISHED 14.5mm x 20.5mm **PP**
14.5mm x 27mm **PP**



TOP SASH MEETING RAIL

FINISHED 33mm x 53mm
NOMINAL 38mm x 57mm **PP**



Q-LINE PARTING BEAD

FINISHED 8mm x 20.5mm **PP**
8mm x 27mm **PP**



BOTTOM RAIL

FINISHED 44mm x 95mm
NOMINAL 50mm x 100mm **PP**



Window Mouldings – Glazing Beads



Q-LINE GLAZING BEAD

FINISHED 9mm x 9mm **PP** †
9mm x 15mm **PP** †
12mm x 15mm **PP** †

† Certain small mouldings are only available in 2.4m lengths

Window Mouldings – General

WINDOW BOARD

FINISHED 27mm x 114mm
27mm x 169mm
27mm x 216mm
NOMINAL 32mm x 150mm **PP**
32mm x 175mm **PP**
32mm x 225mm **PP**



WINDOW CILL

FINISHED 69mm x 144mm
NOMINAL 75mm x 150mm **PP**



NOSING

FINISHED 27mm x 44mm
27mm x 69mm
NOMINAL 32mm x 50mm **PP**
32mm x 75mm **PP**



TRANSOM DRIP

FINISHED 27mm x 33mm
NOMINAL 32mm x 38mm **PP**



Solid Pine Cladding – Matching

T.G.+V

FINISHED 8.5mm x 95mm
11.5mm x 94mm
11.5mm x 119mm
14.5mm x 94mm
14.5mm x 120mm
20.5mm x 95mm
20mm x 119mm
20mm x 144mm

NOMINAL

13mm x 100mm **P**
16mm x 100mm **P**
16mm x 125mm **P**
19mm x 100mm **P**
19mm x 125mm **P**
25mm x 100mm **P**
25mm x 125mm **P**
25mm x 150mm **P**



BEADED T.G.+V

FINISHED 12mm x 95mm
14.5mm x 144mm
NOMINAL 16mm x 100mm **P**
19mm x 150mm **P**

Shiplap



REBATED SHIPLAP

FINISHED 11.5mm x 119mm
14mm x 143.5mm
14.5mm x 119mm
18.5mm x 143.5mm

NOMINAL 16mm x 125mm **P**
19mm x 125mm **PP**
19mm x 125mm **PP**
25mm x 150mm **P**



T&G SHIPLAP

FINISHED 11.5mm x 119mm
NOMINAL 16mm x 125mm **P**

Loglap



LOGLAP

FINISHED 20.5mm x 95mm
NOMINAL 25mm x 100mm **P**



LOGLAP

FINISHED 44mm x 144mm
NOMINAL 50mm x 150mm **P**

Solid Pine Decorative Mouldings



DADO RAIL
FINISHED
20.5mm x 57mm
NOMINAL
25mm x 63mm ^{PP}



DADO RAIL
FINISHED
20.5mm x 69mm
NOMINAL
25mm x 75mm ^{PP}



**SCOTIA
PICTURE RAIL**
FINISHED
20.5mm x 44mm
NOMINAL
25mm x 50mm ^{PP}



**OVOLO
PICTURE RAIL**
FINISHED
20.5mm x 44mm
NOMINAL
25mm x 50mm ^{PP}

Q-Line – Beading



**OGEE PANEL
MOULD**
FINISHED
8mm x 20.5mm ^{PP} †
8mm x 27mm ^{PP} †
12mm x 33mm ^{PP} †
14.5mm x 44mm ^{PP} †



ASTRAGAL
FINISHED
8mm x 20.5mm ^{PP} †
14.5mm x 33mm ^{PP} †
20.5mm x 44mm ^{PP} †

Q-Line Solid Pine Dowels



DOWEL
FINISHED
9mm ^{PP} † 18mm ^{PP} †
12mm ^{PP} † 25mm ^{PP} †
15mm ^{PP} †

† Certain small mouldings are only available in 2.4m lengths

Q-Line Solid Pine Cover Mouldings



QUADRANT
FINISHED
8mm ^{PP} † 19mm ^{PP} †
12mm ^{PP} † 20.5mm ^{PP} †
14.5mm ^{PP} †



CUSHION CORNER
FINISHED
20mm x 20mm ^{PP} †
34mm x 34mm ^{PP} †
42mm x 42mm ^{PP} †



SCOTIA
FINISHED
14.5mm x 14.5mm ^{PP} †
20.5mm x 20.5mm ^{PP} †



HALF ROUND
FINISHED
8mm x 21mm ^{PP} †



D MOULD
FINISHED
6mm x 27mm ^{PP} †

Solid Pine - Stair Mouldings



PIGS EAR WALLFIX HANDRAIL
FINISHED NOMINAL
44mm x 108mm 50mm x 125mm ^{PP}



CROWN HANDRAIL
FINISHED
44mm x 69mm
NOMINAL
50mm x 75mm ^{PP}



MOPSTICK HANDRAIL
FINISHED
41mm x 44mm
NOMINAL
50mm x 50mm ^{PP}

Solid Planed Square Edge Softwood (PSE's)



Nom size Grade quality

9mm

- x 25 Redwood
- x 32 Redwood
- x 50 Redwood

13mm

- x 13 Redwood
- x 25 Redwood
- x 38 Redwood
- x 50 Redwood

16mm

- x 16 Redwood
- x 25 Redwood
- x 38 Redwood
- x 38 Redwood

19mm

- x 25 Redwood
- x 38 Redwood
- x 50 Redwood
- x 75 Redwood
- x 100 Redwood
- x 125 Redwood
- x 150 Redwood

22mm

- x 50 Whitewood
- x 75 Whitewood
- x 100 Whitewood
- x 150 Whitewood

25mm

- x 25 Redwood
- x 38 Redwood
- x 50 Redwood
- x 75 Redwood
- x 100 Redwood
- x 125 Redwood
- x 150 Redwood
- x 175 Redwood
- x 200 Redwood
- x 225 Redwood
- x 275 Whitewood

Nom size Grade quality

32mm

- x 38 Redwood
- x 50 Redwood
- x 100 Redwood
- x 115 Redwood
- x 138 Redwood
- x 150 Redwood
- x 175 Redwood
- x 225 Redwood
- x 275 Whitewood

38mm

- x 38 Redwood
- x 50 Redwood
- x 75 Redwood
- x 100 Redwood
- x 150 Redwood
- x 175 Redwood
- x 225 Redwood
- x 275 Whitewood

50mm

- x 50 Redwood
- x 75 Redwood
- x 100 Redwood
- x 125 Redwood
- x 150 Redwood
- x 225 Redwood

63mm

- x 75 Redwood
- x 100 Redwood

75mm

- x 75 Redwood
- x 100 Redwood
- x 150 Redwood

100mm

- x 100 Redwood

† Certain small mouldings are only available in 2.4m lengths



Laminated Pine Finger Jointed

Finished size

- 28 x 270 Redwood
- 32 x 270 Redwood

Grade quality

- A
- A

Solid Softwood Flooring (Non Decorative)



OFFSET T&G

FINISHED

- 19mm x 119mm
- 18mm x 144mm
- 20mm x 144mm

NOMINAL

- 22mm x 125mm Whitewood
- 22mm x 150mm Whitewood
- 25mm x 150mm

PSE

FINISHED

- 18mm x 144mm
- 18mm x 144mm

NOMINAL

- 22mm x 150mm
- 22mm x 150mm

Solid Pine Door Mouldings

TRENCHED AND HOUSED REVERSIBLE DOOR LINING SETS (WHITEWOOD)

- 6'6" X 2'6"/2'9"
- 6'6" X 2'3"/2'6"

Now only available with stops



SETS WITHOUT STOPS

TRENCHED AND HOUSED

FINISHED

- 27mm x 108mm
- 27mm x 132mm

NOMINAL

- 32mm x 115mm
- 32mm x 138mm

SETS WITH 16MM X 38MM STOPS TRENCHED AND HOUSED

FINISHED

- 27mm x 108mm
- 27mm x 132mm

NOMINAL

- 32mm x 115mm
- 32mm x 138mm

P.S.E. LONG LININGS (REDWOOD)

FINISHED

- 27mm x 108mm
- 27mm x 132mm

NOMINAL

- 32mm x 115mm
- 32mm x 138mm

FIRECHECK DOOR LINING SET TRENCHED AND HOUSED (INC. STOPS & GRV)

2'6" /2'9"

FINISHED

- 31mm x 132mm

NOMINAL

- 38mm x 138mm



FIRECHECK P.S.E. DOORSTOP (REDWOOD/WHITEWOOD)

FINISHED

- 25mm x 33mm
- 25mm x 44mm

NOMINAL

- 32mm x 38mm
- 32mm x 50mm

Q-LINE OVOLO STOP

FINISHED

- 12mm x 21mm
- 12mm x 33mm
- 12mm x 44mm

† Certain small mouldings are only available in 2.4m lengths

Door Mouldings – General



DOOR WEATHERBAR

FINISHED

- 44mm x 69mm

NOMINAL

- 50mm x 75mm



CILL

FINISHED

- 44mm x 144mm

NOMINAL

- 50mm x 150mm

Natural Shrinkage

In common with most replacement flooring, please be aware that the above products will shrink laterally by 2.5 – 3% when fitted in a normally centrally heated home. This normal occurrence should be considered if the flooring isn't going to be covered but remain visible.



| Quality Decking


Wood Plastic Composite Decking

SmartBoard is a reversible face fix decking with an appealing, tactile brushed matt finish available in a range of naturally varying colour tones.

- ✓ Doesn't look or feel plastic
- ✓ Low maintenance/Easy to clean
- ✓ Eco friendly, 90% recycled
- ✓ Super simple to fit

Available in four naturally varying colours.

Size: 20mm x 138mm x 3600mm



SCAN FOR MORE INFO

NEW FOR 2026

NEW FOR 2026



Multifix Wood Embossed Decking

SmartBoard MultiFix is the latest addition to the SmartBoard composite decking range. Featuring a brushed wood embossed, reversible profile, it offers two easy installation methods, a convenient hidden clip system or a straightforward face fix option.

- ✓ Easy to fit, hidden clip or face fix option
- ✓ Brushed wood embossed reversible profile
- ✓ Reversible fascia
- ✓ 100% Environmental Certification
- ✓ Eco friendly, 90% recycled
- ✓ Low maintenance/Easy to clean

Available in three colours that naturally compliment the wider SmartBoard range.

Size: 20mm x 138mm x 3600mm



Duo Lite Composite Decking

SmartBoard Duo Lite is a composite decking product. Engineered for cost-effectiveness in the outdoor composite decking market.

- ✓ Hollow tube core construction: Easy to fit clip system
- ✓ Reversible wood grain finish
- ✓ 100% Environmental Certification
- ✓ Eco friendly, 90% recycled
- ✓ Low maintenance and long lasting - no splitting or rot!

Available in two colours that naturally compliment the wider SmartBoard range.

Size: 22mm x 140mm x 3600mm



SCAN FOR MORE INFO





SCAN FOR MORE INFO

Composite Fencing

SmartBoard Fencing combines the beauty of wood with the resilience of plastic, is 100% environmentally certified and consists of 90% recycled materials.

Available in Charcoal colour and reversible profile that naturally complements the wider SmartBoard range.


Size: 20mm x 145mm x 1800mm




Bottom Rail
Fixing Clips
16 x 28 x 30mm




Composite Post
Sleeve
100 x 100
x 1900mm




Steel Inner Post
50 x 50
x 2400mm




Composite Post
Cap (with 2
locating screws)
100 x 100mm



Aluminium
Top Rail
19.8 x 20
x 1800mm



Aluminium
Bottom Rail
19.8 x 34
x 1800mm



Composite Post Sleeve
Spare Groove Inserts
16 x 29
x 1900mm



Concrete Post
Adaptor Sleeve
49-54 x 32
x 1900mm



SCAN FOR MORE INFO

SmartBase Pedestal

The SmartBase Adjustment Deck-Paving Pedestal consists of three adjustable pedestals of different heights, suitable for timber and paved terraces in various installation heights, their height can be altered with extension rings.

The adjustable pedestals are completed by two different types of adapter plates, a timber connector plate for classic timber substructures and the paving connector plate for laying stone slabs. Our modular system is innovative, universal, versatile and user-friendly!

- ✓ High load bearing capacity of up to 8.0 kN/foot*
- ✓ Ground assembly heights of 3.0-11.7 cm.
- ✓ Height can be increased with extension ring.
- ✓ Quick and easy assembly.

*The quoted load-bearing capacities represent recommended values. With these loads, the adjustable pedestals only deform by approx. 2mm. The load-bearing capacity before actual breakage is several times higher.

25 Year Warranty – Residential Use, 10 Year Commercial Use



SmartBase-53
(53 to 82mm Adjustable Support Pedestal. Range 30 to 268mm)



Support Pedestal
Extension Ring
40mm & 100mm



Slope Correction Shoe
- up to 10°



Paving Connector
Plate
(Flush fit)



Timber Connector
Plate
(Flush fit)

Decking Subframe Timber



SCAN FOR MORE INFO

SmartFrame timber is designed for use to support SmartBoard and other premium value decking products including solid hardwood, in above ground applications where a 25-year service life is generally desirable.

Multi-application and high performance, SmartFrame is a preservative pre-treated Scandinavian redwood construction timber. It is C24 strength class rated as standard and comes with a 10 year UC4 in ground and 15 year UC3 above ground residential warranty against fungal decay.

- ✓ Kiln dried solid European Redwood
- ✓ C24 Strength Class
- ✓ Tanalith Treated
- ✓ Finish - PSE-E4E
- ✓ 25 year Desired service life above ground
- ✓ Use Class 4 Warranty against fungal decay

Size: Lengths 4.8m, in either 45mm x 95mm or 45mm x 145mm



Q-Deck Balustrade UC3U

Q-Deck UC3U balustrade is a Tanalith treated deck balustrade system made from timber that's easy to work with and looks great outside.



CLASSIC



COLONIAL



HAND RAIL OR
BOTTOM RAIL



HAND RAIL
INFILL



DECK TITE
HANDRAIL BRACKET

Timber Treatment - Use class 2, 3 or 4?


INTERIOR	EXTERIOR	
UC2 Use Class 2	UC3(U) Use Class 3(U)	UC4 Use Class 4
Above the ground or DPC, covered	Above the ground (uncoated)	Ground or fresh water contact (and exterior structural support)

Preservative treatment provides wood with added durability. However, it's a mistake to assume that all pressure treated wood is the same.


Whilst one piece of treated wood may look very much like any other, the level of preservative protection could be very different. That's because national technical standards for wood preservation require that the loading and penetration of preservative, impregnated into the wood, is tailored to the desired end use.

Pressure Treated Softwood


Reversible Timber Decking UC3U




Q-DECK WINCHESTER
32 x 150mm
(26 x 144mm) (Grooved side)




Q-DECK WINCHESTER
(Reeded side)




Q-DECK CANTERBURY
32 x 150mm
(26 x 144mm) (Grooved side)




Q-DECK CANTERBURY
(Smooth side)




Q-DECK YORK
38 x 125mm
(33 x 120mm) (Grooved side)



Q-DECK YORK
(Smooth side)



Q-DECK OXFORD
38 x 150mm
(32.5 x 141mm) (Grooved side)



Q-DECK OXFORD
(Smooth side)

Slip-Resistant Decking UC3U



Q-GRIP CANTERBURY (GROOVED PROFILE)
32 x 150mm (26 x 144mm)



Q-GRIP YORK (SMOOTH PROFILE)
38 x 125mm (33 x 120mm)

Quality Cladding

Timber Cladding



Timber Cladding UC3U



REBATED LOGLAP
25 x 100mm
(18 x 95mm)



SHIPLAP
16 x 125mm (11.5 x 119mm)
19 x 125mm (14.5 x 119mm)
25 x 150mm (18.5 x 143.5mm)



T&G LOGLAP
50 x 150mm
(44 x 144mm)

Multi-Purpose Products



**MULTI-PURPOSE
SCREENING UC3U**
32 x 75mm (27 x 69mm)




**C24 MULTI-PURPOSE UC4
TREATED POST**
90 x 90mm (85 x 85mm)
125 x 125mm (117 x 117mm)
150 x 150mm (140 x 140mm)



MULTI-PURPOSE BOARD UC3U
25 x 50mm (20 x 44mm)
25 x 75mm (20 x 69mm)
25 x 100mm (20 x 94mm)
38 x 125mm (33 x 120mm)


Q-CLAD Painted Timber Cladding UKCA + UC3C

FEATHEREDGE - BLACK



32 x 175mm.
24mm thick edge
6mm thin edge
x 175mm finished size

REBATED FEATHEREDGE - BLACK



32 x 175mm.
23mm thick edge
6mm thin edge
x 174mm finished size

REBATED FEATHEREDGE - GREY



32 x 175mm.
23mm thick edge
6mm thin edge
x 174mm finished size

REBATED FEATHEREDGE - WHITE



32 x 175mm.
23mm thick edge
6mm thin edge
x 174mm finished size



Marley Weatherboard

Discover our stunning range of Fibre Cement Board for external cladding.


- Lightweight cladding solution
- Low maintenance
- Great on residential and commercial builds
- 200mm wide boards for faster installation
- Fire tested - A2-s1, d0




White



Light Grey



Blue Grey



Slate Grey



Black





For more information visit:
stamco-hoppings.co.uk